I. CALL TO ORDER

3-Aug17 meeting called to order by Supervisor Fromhart at 7:01 p.m. followed by the Pledge of Allegiance at Bridgewater Township Hall, 10990 Clinton Road, Manchester, MI.

Present: Trustee Faust; Supervisor Fromhart; Treasurer McQueer; Trustee Oliver; Clerk Wharam Citizen attendance: 15

II. CITIZEN PARTICIPATION

• None

III. APPROVAL OF MINUTES

• Motion to approve the 1-Jun-17 meeting minutes as drafted – Mr. Faust; support –Ms. McQueer; Vote – unanimous

IV. REVIEW AND APPROVE AGENDA

• Motion to approve the agenda as amended – Ms. McQueer; support – Mr. Wharam; Vote – unanimous

V. UNFINISHED BUSINESS

A. Stantec's Scope of Services for GSM Annual Inspection

- GS Materials' legal counsel to express concern over the cost of the Stantec annual site inspection
- GS Materials is concerned about cost redundancy; water testing, aerial topography
- Ms. Fromhart said that the township needs tri-annual storage tank inspection, soil erosion, industrial storm water, NPDES waste water permit, Ms. Fromhart will send out delinquent items to GS Materials, GS Materials will respond
- Stantec will reduce price by \$2000 if use water sample taken by NRM Solutions
- GS Materials needs to talk to Mr. Chip Tokar about use of Stantec photos in GS Materials annual report
- Motion to table until Sep meeting Ms. Fromhart; support Mr. Oliver; Vote: Unanimous

VI. NEW BUSINESS

A. Financials, Approve Disbursements from 1-Jun-17 through 31-Jul-17

• Motion to approve disbursements of \$45,289.94 for general operations and \$9,767.55 for sewer operations and for a total of \$55,056.76 – Mr. Oliver; support – Mr. Faust; vote – unanimous

B. Michigan Broadband Cooperative Presentation – Mr. Ben Fineman

- Non-profit for broadband coverage in western Washtenaw county
- Showed ways to bring broadband to Bridgewater township
- Several citizens volunteered to assist getting the word out
- The treasurer will add a survey to the winter tax bills to start the process

C. Baker Propane Quote

• Motion to table purchase 250 gallon tank (unless a 500 gallon tank is less expensive) and fill with propane supplied by Baker's Propane – Ms. Fromhart; support – Ms. McQueer; Vote: Unanimous

D. Medical Marijuana Facilities Licensing Planning Commission Recommendations

- Mr. Nanney summitted letter of Planning Commission recommendations
- Mr. Cal Messing reported that processing facilities are normally relatively small
- Mr. Messing says most chemicals used are benign

Bridgewater Township Board of Trustees Minutes

- E. Washtenaw County Immigration Policy Resolutions Discussion
- No other townships are moving forward

VII. REPORTS AND CORRESPONDENCE

A. Public Safety Report

- The sheriff's office report was received and is on file
- B. Supervisor's Report
 - Complaints on Mr. Enzer truck traffic
 - Mr. Enzer needs site plan review for new warehouse; Ms. McQueer recommends that Mr. Nanney handle these type items
 - <u>Ms. FromhartMr. Lucus</u> sent Mr. Finkbeiner a letter re: private road
 - Soil erosion; <u>DEQ & attorney general is reviewing on</u>; <u>Mr. Lucas is generating a letter</u>
 - Mr. Ken Jewison re: capital improvement plan for sewer plant
 - Need to have a sewer committee to make decisions to present to board; will be on next month's meeting
 - Web site is almost ready; can see at Bridgewater.ITRight.biz; Ms. Fromhart would like feedback
 - No update on Bemis Rd bridge
- C. Assessor's Report
 - Ms. Rider presented timeline on John Ball property division
 - Mr. Lucas recommended that no new letter be sent since there are no restrictions on the deed
 - Ms. Fromhart recommended no-an update to letter; requested attorney advice but had not received a response

D. Clerk's Report

- People need to cash their pay checks
- People need to fill out time sheets
- Clinton Road between Austin Road and County Line; between 9 am and 3 pm; rumble strips
- No August election, November election is millage only
- Need motion to raise the sewer billing rate to reflect the amount of time spent on next month agenda
- E. Treasurer's Report
 - The treasurer's report was received and is on file

F. Trustees' Report

- Trustee Faust:
 - Mr. Dan Geyer wants limestone around new pad; Mr. Faust suggested filling in the low spot at the sewer plant; Mr. Faust will provide a quote
 - Replaced 3 pumps
- Trustee Oliver:
 - WCRC will work on Logan Rd and Willow Rd
- G. Zoning Administrator's Report
 - Mr. Nanney submitted a written report to the board and it is on record

- H. Planning Commission
 - The PC submitted a written report to the board and it is on record

VIII. CITIZEN PARTICIPATION

• None

IX. ADJOURNMENT

Supervisor Fromhart adjourned the meeting at 9:15 p.m.